INDEX

ADDUCT formation (urea), segregation of toxic and non-toxic material from esters of heat-polymerized linseed oil by distillation and by. Nature of damage to nutritive value of some vegetable oils from heat treatment. III., 333.
Adult rat (see Rat, adult).
AGRAWALA, I. P., C. W. DUNCAN AND C. F. HUFFMAN. A quantitative study of rumen synthesis in the bovine on natural and purified rations. I. Protein, dry matter and non-protein nitrogen, 29.
— C. F. HUFFMAN, R. W. LUECKE AND C. W. DUNCAN. A quantitative study of rumen synthesis in the bovine on natural and purified rations. III. Riboflavin, pantothenic acid and niacin, 631.
— See Duncan, C. W., 41.
Albino rat (see Rat, albino).
ALLISON, J. B. See Wainio, W. W., 465.
American Institute of Nutrition. Registry of nutritional pathology, 369.
Amino acid(s) content of mixed rumen proteins. Quantitative study of rumen synthesis in bovine on natural and purified rations. II., 41.
—— enzymatic liberation from different proteins, 221.
—— free, in plasma of chicks, influence of level of vitamins in diet on concentration of, 21.
—— influence of non-essential, on requirement of adult rat for isoleucine, methionine and threonine, 513.
—— utilization from foods by rat. I. Methods of testing for lysine, 277; II. Lysine, 289.
— acid-supplemented rice diets, effect of antibiotics on rats fed, 621.
Anemia, experimental megaloblastic, and scurvy in monkey. V., 121.
Antibiotics and composition of diets, effect on fecal vitamin B_{12} and biotin, 657.
— effect on rats fed amino acid-supplemented rice diets, 621.
— possible mechanism involved in growth-promoting responses obtained from, 307.
Ascorbic acid deficiency, nature of relation to metabolism of folic acid compounds. Experimental megaloblastic anemia and scurvy in monkey. V., 121.
—— (liver) of sulfasuxidine-fed rats, effect of vitamins and natural products on, 387.
Assay, rat growth, for vitamin B_{12}. Correspondence with collaborative microbiological assay results on U.S.P. liver extracts, 107.
— results (collaborative microbiological) on U.S.P. liver extracts, correspondence of rat growth assay for vitamin B_{12} with, 107.
Aureomycin, effect(s) of dietary, upon intestinal microflora and intestinal synthesis of vitamin B_{12} in rat, 135.
—— on nitrogen and water metabolism in growing pigs, 505.

B vitamins (see Vitamins, B).
Balance (nitrogen), protein, calorie and methionine intakes in relation to, 191.
BARROWS, L. See Chow, B. F., 563; Harte, R. A., 669.
Basal diets, effects on response of rats to certain dietary non-ionic surface-active agents, 563.
BAUMANN, C. A. See Guzman-Garcia, J., 647; Kandutsch, A. A., 209.
BELL, J. M. See Rothery, P., 173.
BENNETT, B. A. See Guthneck, B. T., 289.
Biotin and vitamin B_{12}, fecal, effect of antibiotics and the composition of diets on, 657.
BLAYLOCK, L. G. See Richardson, L. R., 21.
Bone, fresh, feed value of, 197.
BOOTH, A. N., R. H. WILSON AND F. DEEDS. Effects of prolonged ingestion of xylose on rats, 347.
Bovine on natural and purified rations, quantitative study of rumen synthesis in. I., 29; II., 41; III., 631.
BRAUDE, R., AND B. C. JOHNSON. Effect of aureomycin on nitrogen and water metabolism in growing pigs, 505.
BURNETT, J. M. See Chow, B. F., 563.

CALF, young, metabolic fecal nitrogen excretion of, and true digestibility of casein, 183.
Calorie, protein and methionine intakes in relation to nitrogen balance, 191.
Carbohydrates, influence of various, on utilization of low protein rations by white rat. I. Comparison of sucrose and cornstarch in 9% casein rations, 261.
Cariogenicity, relative, of sucrose when ingested in solid form and in solution by albino rat, 295.
Casein, metabolic fecal nitrogen excretion of young calf and true digestibility of, 183.
— rations (9%), comparison of sucrose and cornstarch in. Influence of various carbohydrates on utilization of low protein rations by white rat. I., 261.
Cell damage (liver) and fatty metamorphosis in choline and protein deficiency, effect of choline supplements on, 443.
CERECEDO, L. R. See McCarthy, P. T., 357.
CHANG, W. Y. See Lyman, C. M., 679.
Chemical index method, evaluation of protein quality in cottonseed meals by chick growth and by a, 679.
CHEN, L. See Litwack, G., 579.
Chick(s) fed forage and forage juice concentrate, growth stimulation and growth inhibition of, 453.
— growth, evaluation of protein quality in cottonseed meals by, and by a chemical index method, 679.
— influence of level of vitamins in diet on concentration of free amino acids in plasma of, 21.
Choline and protein deficiency, effect of choline supplements on fatty metamorphosis and liver cell damage in, 443.

— supplements, effect on fatty metamorphosis and liver cell damage in choline and protein deficiency, 443.
CHOW, B. F., J. M. BURNETT, C. T. LING AND L. BARROWS. Effects of basal diets on the response of rats to certain dietary non-ionic surface-active agents, 563.
— R. L. DAVIS AND S. DAVIS. The effect of antibiotics and the composition of diets on fecal vitamin B_{12} and biotin, 657.
— See Harte, R. A., 669.
Cobalt and vitamin B_{12} in sheep. I. Distribution of radiocobalt in tissues and ingesta, 173.
Cold stress in rat, comparative effects of pantothenic acid deficiency and inanition on resistance to, 373.
Collaborative microbiological assay results on U.S.P. liver extracts, correspondence of rat growth assay for vitamin B_{12} with, 107.
COLLINS, R. A., M. SCHREIBER AND C. A. ELVEHJEM. The influence of relative humidity upon vitamin deficiencies in rats, 589.
——— AND E. B. HART. Vitamin B_{12} and folic acid in milk diets, 485.
— See Niño-Herrera, H., 99.
Colostrum, zinc deficiency in suckling mice deprived of, 79.
COMMON, R. H. See Crampton, E. W., 333.
Coprophagy, effect on excretion of B vitamins by rabbit, 639.
Cornstarch and sucrose, comparison in 9% casein rations. Influence of various carbohydrates on utilization of low protein rations by white rat. I., 261.
Correspondence of rat growth assay for vitamin B_{12} with collaborative microbiological assay results on U.S.P. liver extracts, 107.
Cottonseed meals, evaluation of protein quality in, by chick growth and by a chemical index method, 679.
COUCH, J. R. See Elam, J. F., 307; Lyman, C. M., 679.
CRAMPTON, E. W., R. H. COMMON, F. A. FARMER, A. F. WELLS AND D. CRAWFORD. Studies to determine the nature of the damage to the nutritive value of some vegetable oils from heat treatment. III. The segregation of toxic and non-toxic material from the esters of heat-polymerized linseed oil by distillation and by urea adduct formation, 333.
CRAWFORD, D. See Crampton, E. W., 333.

DAVIS, R. L. See Chow, B. F., 657.
DAVIS, S. See Chow, B. F., 657.
DEEDS, F. See Booth, A. N., 347.
DE LA HUERGA, J. See Koch-Weser, D., 443.
DENTON, A. E., AND C. A. ELVEHJEM. Enzymatic liberation of amino acids from different proteins, 221.
Dermatosis in weanling rats fed lactose diets. II. Histological studies, 99.
DICK, E. C. See Johansson, K. R., 135.
Dietary aureomycin, effects upon intestinal microflora and intestinal synthesis of vitamin B_{12} in rat, 135.
— fat, thyroid activity and lipogenesis, interrelationship between, 599.
— non-ionic surface-active agents, effects of basal diets on response of rats to certain, 563.
— protein, further studies relating liver xanthine oxidase to quality of, 579.
Diet(s), amino acid-supplemented rice, effect of antibiotics on rats fed, 621.
— containing purified soybean proteins, lactation failure of rats fed, 231; effect of various supplements on lactation failure of rats fed, 245.
— effect(s) of basal, on response of rats to certain dietary non-ionic surface-active agents, 563.
——— of composition of and of antibiotics, on fecal vitamin B_{12} and biotin, 657.
— fat-free, effect on growing female rats, with special reference to endocrine system, 397.
— influence of level of vitamins in, on concentration of free amino acids in plasma of chicks, 21.
— lactose, dermatosis in weanling rats fed. II., 99.
— milk, vitamin B_{12} and folic acid in, 485.
— purified, effects of vitamins B_{12} and B_{12f} on growth, kidney hemorrhage and liver fat in rats fed, 495.
— typical laboratory, factors affecting stability of thiamine in, 209.
Digestibility (true) of casein, metabolic fecal nitrogen excretion of young calf and, 183.
Distillation, segregation of toxic and non-toxic material from esters of heat-polymerized linseed oil by urea adduct formation and by. Nature of damage to nutritive value of some vegetable oils from heat treatment. III., 333.
DOWLING, M. T. See Fenton, P. F., 319.
Dry matter. Quantitative study of rumen synthesis in bovine on natural and purified rations. I., 29.
Duck, folic acid deficiency in, 65.
DUNCAN, C. W., I. P. AGRAWALA, C. F. HUFFMAN AND R. W. LUECKE. A quantitative study of rumen synthesis in the bovine on natural and purified rations. II. Amino acid content of mixed rumen proteins, 41.
— See Agrawala, I. P., 29, 631.

EICHEL, B. See Wainio, W. W., 465.
EICHEL, H. J. See Wainio, W. W., 465.
ELAM, J. F., R. L. JACOBS, W. L. TIDWELL, L. L. GEE AND J. R. COUCH. Possible mechanism involved in the growth-promoting responses obtained from antibiotics, 307.
Elimination of vitamin B_{12} in rat, 669.
ELVEHJEM, C. A. See Collins, R. A., 485, 589; Denton, A. E., 221; Hawk, E. A., 495; Leoschke, W. L., 541; Litwack, G., 579; Niño-Herrera, H., 99.
Endocrine system, effects of fat-free diet on growing female rats, with special reference to, 397.
Enzymatic liberation of amino acids from different proteins, 221.
Enzymes (oxidative) of liver in protein depletion, 465.
ERSHOFF, B. H. Comparative effects of pantothenic acid deficiency and inanition on resistance to cold stress in rat, 373.
Esters of heat-polymerized linseed oil, segregation of toxic and non-toxic material from, by distillation and by urea adduct formation. Nature of damage to nutritive value of some vegetable oils from heat treatment. III., 333.
ESTES, F. L. See Wainio, W. W., 465.
Estradiol and methyl testosterone, effects of prolonged percutaneous administration of, on growing male rats, 51.
Excretion, metabolic fecal nitrogen, of young calf and true digestibility of casein, 183.

— of B vitamins by rabbit, effect of coprophagy on, 639.
Experimental megaloblastic anemia and scurvy in monkey. V. Nature of relation of ascorbic acid deficiency to metabolism of folic acid compounds, 121.
Extracts, liver (see Liver extracts).

FAILURE, lactation, of rats fed diets containing purified soybean proteins, 231; effect of various supplements on, 245.
FARMER, F. A. See Crampton, E. W., 333.
Fat (dietary), thyroid activity and lipogenesis, interrelationship between, 599.
— (liver) in rats fed purified diets, effects of vitamins B_{12} and B_{12_f} on, 495.
Fat-free diet, effects on growing female rats, with special reference to endocrine system, 397.
FATTEPAKER, P. See Litwack, G., 579.
Fatty metamorphosis and liver cell damage in choline and protein deficiency, effect of choline supplements on, 443.
Fecal nitrogen excretion (metabolic) of young calf and true digestibility of casein, 183.
— vitamin B_{12} and biotin, effect of antibiotics and the composition of diets on, 657.
Feed value of fresh bone, 197.
Feeding methods for assessing relative growth-promoting properties of proteins, comparison of 4, 153.
Female rats (see Rats, female).
FENTON, P. F., AND M. T. DOWLING. Studies on obesity. I. Nutritional obesity in mice, 319.
FINERTY, J. C. See Panos, T. C., 397.
Folic acid and vitamin B_{12} in milk diets, 485.
—— compounds, nature of relation of ascorbic acid deficiency to metabolism of. Experimental megaloblastic anemia and scurvy in monkey. V., 121.
—— deficiency in duck, 65.
Foods, utilization of amino acids from, by rat. I., 277; II., 289.
Forage and forage juice concentrate, growth stimulation and growth inhibition of chicks fed, 453.
— juice concentrate and forage, growth stimulation and growth inhibition of chicks fed, 453.
Free amino acids in plasma of chicks, influence of level of vitamins in diet on concentration of, 21.
Fresh bone (see Bone, fresh).
FRICKE, H. H. See Frost, D. V., 107.
FROST, D. V., H. H. FRICKE AND H. C. SPRUTH. Rat growth assay for vitamin B_{12}. Correspondence with collaborative microbiological assay results on U.S.P. liver extracts, 107.

GEE, L. L. See Elam, J. F., 307.
GODDARD, J. W. See Miller, O. N., 65.
Growing pigs (see Pigs, growing).
— rats (see Rats, growing).
Growth assay (rat) for vitamin B_{12}. Correspondence with collaborative microbiological assay results on U.S.P. liver extracts, 107.
— chick, evaluation of protein quality in cottonseed meals by, and by a chemical index method, 679.
— in rats fed purified diets, effects of vitamins B_{12} and B_{12_f} on, 495.
— inhibition and growth stimulation of chicks fed forage and forage juice concentrate, 453.
— rat, inhibition of, Soyin, a toxic protein from the soybean. I., 527.
— response of rat to heterologous protein administered intraperitoneally, 163.
— stimulation and growth inhibition of chicks fed forage and forage juice concentrate, 453.
Growth-promoting properties of proteins, comparison of 4 feeding methods for assessing the relative, 153.
— responses obtained from antibiotics, possible mechanism involved in, 307.
GUSTAV V. VON BUNGE, biography, 3.
GUTHNECK, B. T., B. A. BENNETT AND B. S. SCHWEIGERT. Utilization of amino acids from foods by the rat. II. Lysine, 289.
— See Schweigert, B. S., 277.
GUZMAN-GARCIA, J., W. B. SARLES AND C. A. BAUMANN. Microorganisms in the intestines of rats fed penicillin, 647.

HALDI, J., W. WYNN, J. H. SHAW AND R. F. SOGNNAES. The relative cariogenicity of sucrose when ingested in the solid form and in solution by the albino rat, 295.
HAMILTON, A. E. See May, C. D., 121.
HANSEN, R. G., H. M. SCOTT, B. L. LARSON, T. S. NELSON AND P. KRICHEVSKY. Growth stimulation and growth inhibition of chicks fed forage and forage juice concentrate, 453.
HARLIN, H. A. See Womack, M., 513.
HARPER, A. E., AND M. C. KATAYAMA. The influence of various carbohydrates on the utilization of low protein rations by the white rat. I. Comparison of sucrose and cornstarch in 9% casein rations, 261.
HART, E. B. See Collins, R. A., 485.
HARTE, R. A., B. F. CHOW AND L. BARROWS. Storage and elimination of vitamin B_{12} in the rat, 669.
HAWK, E. A., AND C. A. ELVEHJEM. The effects of vitamins B_{12} and B_{12_f} on growth, kidney hemorrhage and liver fat in rats fed purified diets, 495.
Heat processing and nutritive value of milk and milk products, 549.
— treatment, effect on nutritive value and hemagglutinating activity of soybean oil meal, 609.
—— nature of damage to nutritive value of some vegetable oils from. III., 333.
Heat-polymerized linseed oil, segregation of toxic and non-toxic material from esters of, by distillation and by urea adduct formation. Nature of damage to nutritive value of some vegetable oils from heat treatment. III., 333.
HEGSTED, D. M. Protein, calorie and methionine intakes in relation to nitrogen balance, 191.
Hemagglutinating activity and nutritive value of soybean oil meal, effect of heat treatment on, 609.
Hemorrhage, kidney, in rats fed purified diets, effects of vitamins B_{12} and B_{12_f} on, 495.
Heterologous protein administered intraperitoneally, growth response of rat to, 163.
HILL, E. G. See Liener, I. E., 609.
Histological studies. Dermatosis in weanling rats fed lactose diets. II., 99.
HUFFMAN, C. F. See Agrawala, I. P., 29, 631; Duncan, C. W., 41.
Humidity, relative, influence upon vitamin deficiencies in rats, 589.

JACOBELLIS, M. See Schroeder, L. J., 549.
Inanition and pantothenic acid deficiency, comparative effects on resistance to cold stress in rat, 373.
Index method, chemical (see Chemical index method).
Ingesta of sheep, distribution of radiocobalt in, 173.
Inhibition, growth (see Growth inhibition).
Institute of Nutrition, American (see American Institute of Nutrition).
Intestinal microflora and intestinal synthesis of vitamin B_{12} in rat, effects of dietary aureomycin upon, 135.
— synthesis of vitamin B_{12} and intestinal microflora in rat, effects of dietary aureomycin upon, 135.
Intestines of rats fed penicillin, microorganisms in, 647.
Isoleucine, influence of non-essential amino acids on requirement of adult rat for, 513.

JACOBS, R. L. See Elam, J. F., 307.
JOHANSSON, K. R., G. E. PETERSON AND E. C. DICK. Effects of dietary aureomycin upon the intestinal microflora and the intestinal synthesis of vitamin B_{12} in the rat, 135.
JOHNSON, B. C. See Braude, R., 505.
Juice concentrate, forage (see Forage juice concentrate).

KANDUTSCH, A. A., AND C. A. BAUMANN. Factors affecting the stability of thiamine in a typical laboratory diet, 209.
KATAYAMA, M. C. See Harper, A. E., 261.
KENNELLY, B., AND L. A. MAYNARD. The interrelationship between thyroid activity, dietary fat and lipogenesis, 599.
Kidney hemorrhage in rats fed purified diets, effects of vitamins B_{12} and B_{12f} on, 495.
KLEIBER, M. See Lofgreen, G. P., 183.
KOCH-WESER, D., J. DE LA HUERGA AND H. POPPER. Effect of choline supplements on fatty metamorphosis and liver cell damage in choline and protein deficiency, 443.
KRICHEVSKY, P. See Hansen, R. G., 453.
KULWICH, R., L. STRUGLIA AND P. B. PEARSON. The effect of coprophagy on the excretion of B vitamins by the rabbit, 639.

LABORATORY diet, typical, factors affecting stability of thiamine in, 209.
Lactation failure of rats fed diets containing purified soybean proteins, 231; effect of various supplements on, 245.
Lactose diets, dermatosis in weanling rats fed. II., 99.
LALOR, R. J. See Leoschke, W. L., 541.
LARSON, B. L. See Hansen, R. G., 453.
LEOSCHKE, W. L., R. J. LALOR AND C. A. ELVEHJEM. The vitamin B_{12} requirement of mink, 541.
Leukocyte production in pantothenic acid-deficient mice, 425.
Liberation, enzymatic, of amino acids from different proteins, 221.
LIENER, I. E. Soyin, a toxic protein from the soybean. I. Inhibition of rat growth, 527.
— AND E. G. HILL. The effect of heat treatment on the nutritive value and hemagglutinating activity of soybean oil meal, 609.
LIGHT, A. E., AND J. A. TORNABEN. Effects of prolonged percutaneous administration of methyl testosterone and estradiol on growing male rats, 51.
LIN, P.-H. See Womack, M., 513.
LING, C. T. See Chow, B. F., 563.
Linseed oil (heat-polymerized), segregation of toxic and non-toxic material from esters of, by distillation and by urea adduct formation. Nature of damage to nutritive value of some vegetable oils from heat treatment. III., 333.
Lipogenesis, thyroid activity and dietary fat, interrelationship between, 599.
LITWACK, G., J. N. WILLIAMS, JR., P. FATTERPAKER, L. CHEN AND C. A. ELVEHJEM. Further studies relating liver xanthine oxidase to quality of dietary protein, 579.
Liver ascorbic acid of sulfasuxidine-fed rats, effect of vitamins and natural products on, 387.
— cell damage and fatty metamorphosis in choline and protein deficiency, effect of choline supplements on, 443.
— extracts, U.S.P., correspondence of rat growth assay for vitamin B_{12} with collaborative microbiological assay results on, 107.
— fat in rats fed purified diets, effects of vitamins B_{12} and B_{12f} on, 495.
— oxidative enzymes of, in protein depletion, 465.
— xanthine oxidase, relation to quality of dietary protein, 579.
LOFGREEN, G. P., AND M. KLEIBER. The metabolic fecal nitrogen excretion of the young calf and the true digestibility of casein, 183.
LOOSLI, J. K. See Sewell, R. F., 435.
LUECKE, R. W. See Agrawala, I. P., 631; Duncan, C. W., 41.
LYMAN, C. M., W. Y. CHANG AND J. R. COUCH. Evaluation of protein quality in cottonseed meals by chick growth and by a chemical index method, 679.
— See Richardson, L. R., 21.
Lysine, methods of testing for. Utilization of amino acids from foods by rat. I., 277.
— Utilization of amino acids from foods by rat. II., 289.

MALE rats (see Rats, male).
MARTIN, A. P., C. R. SHAW AND H. H. WILLIAMS. Growth response of the rat to heterologous protein administered intraperitoneally, 163.
MAY, C. D., A. E. HAMILTON AND C. T. STEWART. Experimental megaloblastic anemia and scurvy in the monkey. V. Nature of the relation of ascorbic acid deficiency to the metabolism of folic acid compounds, 121.
MAYNARD, L. A. See Kennelly, B., 599; Sewell, R. F., 435.
MCCARTHY, P. T., AND L. R. CERECEDO. The vitamin A requirement of the mouse, 357.
MCCAY, C. Biography of Gustav B. von Bunge (January 19, 1844–November 5, 1920), 3.
— See Udall, R. H., 197.
Meals, cottonseed (see Cottonseed meals).
Mechanism involved (possible) in growth-promoting responses obtained from antibiotics, 307.
Megaloblastic anemia, experimental, and scurvy in monkey. V., 121.
Metabolic fecal nitrogen excretion of young calf and true digestibility of casein, 183.
Metabolism, nitrogen and water, in growing pigs, effect of aureomycin on, 505.

— of folic acid compounds, nature of relation of ascorbic acid deficiency to. Experimental megaloblastic anemia and scurvy in monkey. V., 121.
Metamorphosis, fatty, and liver cell damage in choline and protein deficiency, effect of choline supplements on, 443.
Methionine, influence of non-essential amino acids on requirement of adult rat for, 513.
— protein and calorie intakes in relation to nitrogen balance, 191.
Method(s), chemical index (see Chemical index method).
— of testing for lysine. Utilization of amino acids from foods by rat. I., 277.
Methyl testosterone and estradiol, effects of prolonged percutaneous administration of, on growing male rats, 51.
Mice (see also Mouse), nutritional obesity in, 319.
— pantothenic acid-deficient, leukocyte production in, 425.
— suckling, deprived of colostrum, zinc deficiency in, 79.
Microbiological assay results (collaborative) on U.S.P. liver extracts, correspondence of rat growth assay for vitamin B_{12} with, 107.
Microflora (intestinal) and intestinal synthesis of vitamin B_{12} in rat, effects of dietary aureomycin upon, 135.
Microorganisms in intestines of rats fed penicillin, 647.
Milk and milk products, heat processing and nutritive value of, 549.
— diets, vitamin B_{12} and folic acid in, 485.
— products and milk, heat processing and nutritive value of, 549.
MILLER, O. N., J. W. GODDARD, R. E. OLSON AND F. J. STARE. Folic acid deficiency in the duck, 65.
Mink, vitamin B_{12} requirement of, 541.
Monkey, experimental megaloblastic anemia and scurvy in. V., 121.
Mouse (see also Mice), vitamin A requirement of, 357.

NATURAL products and vitamins, effect on liver ascorbic acid of sulfasuxidine-fed rats of, 387.
NELSON, T. S. See Hansen, R. G., 453.
Niacin. Quantitative study of rumen synthesis in bovine on natural and purified rations. III., 631.
NIÑO-HERRERA, H., M. SCHREIBER, R. A. COLLINS AND C. A. ELVEHJEM. Dermatosis in weanling rats fed lactose diets. II. Histological studies, 99.
NISHIMURA, H. Zinc deficiency in suckling mice deprived of colostrum, 79.
Nitrogen and water metabolism (see Metabolism).
— balance; protein, calorie and methionine intakes in relation to, 191.
— excretion, metabolic fecal, of young calf and true digestibility of casein, 183.
— non-protein. Quantitative study of rumen synthesis in bovine on natural and purified rations. I., 29.
Non-ionic surface-active dietary agents, effects of basal diets on response of rats to certain, 563.
Non-protein nitrogen (see Nitrogen).
Non-toxic material (see Toxic and non-toxic material).
Nutrition, American Institute of (see American Institute of Nutrition).
Nutritional obesity in mice, 319.
— pathology, registry of. American Institute of Nutrition, 369.
— value of plant materials. VIII. Lactation failure of rats fed diets containing purified soybean proteins, 231; IX. The effect of various supplements on lactation failure of rats fed diets containing purified soybean proteins, 245.
Nutritive value and hemagglutinating activity of soybean oil meal, effect of heat treatment on, 609.
— — of milk and milk products, heat processing and, 549.
— — of some vegetable oils, nature of damage to, from heat treatment. III. Segregation of toxic and non-toxic material from esters of heat-polymerized linseed oil by distillation and by urea adduct formation, 333.

OBESITY, nutritional, in mice, 319.
— studies on. I. Nutritional obesity in mice, 319.
Oil(s) meal, soybean (see Soybean oil meal).
— vegetable, nature of damage to nutritive value of some, from heat treatment. III., 333.
OLSON, R. E. See Miller, O. N., 65.
Oxidase, liver xanthine (see Liver xanthine oxidase).
Oxidative enzymes of liver in protein depletion, 465.

PANOS, T. C., AND J. C. FINERTY. Effects of a fat-free diet on growing female rats, with special reference to the endocrine system, 397.
Pantothenic acid deficiency and inanition, comparative effects on resistance to cold stress in rat, 373.
— — Quantitative study of rumen synthesis in bovine on natural and purified rations. III., 631.
— acid-deficient mice, leukocyte production in, 425.
Pathology, registry of nutritional. American Institute of Nutrition, 369.
PEARSON, P. B. See Kulwich, R., 639.
PECORA, L. J. Effect of antibiotics on rats fed amino acid-supplemented rice diets, 621.
Penicillin, microorganisms in intestines of rats fed, 647.
Percutaneous administration of methyl testosterone and estradiol, effects of prolonged, on growing male rats, 51.
PERSON, P. See Wainio, W. W., 465.
PETERSON, G. E. See Johansson, K. R., 135.
Pig(s), growing, effect of aureomycin on nitrogen and water metabolism in, 505.
— suckling, quantitative threonine requirement of, 435.
Plant materials, nutritional value of. VIII., 231; IX., 245.
Plasma of chicks, influence of level of vitamins in diet on concentration of free amino acids in, 21.
POPPER, H. See Koch-Weser, D., 443.
Processing, heat, and nutritive value of milk and milk products, 549.
Protein(s) and choline deficiency, effect of choline supplements on fatty metamorphosis and liver cell damage in, 443.
— calorie and methionine intakes in relation to nitrogen balance, 191.
— comparison of 4 feeding methods for assessing the relative growth-promoting properties of, 153.
— depletion, oxidative enzymes of liver in, 465.
— dietary, further studies relating liver xanthine oxidase to quality of, 579.

— enzymatic liberation of amino acids from different, 221.
— heterologous, administered intraperitoneally, growth response of rat to, 163.
— mixed rumen, amino acid content of. Quantitative study of rumen synthesis in bovine on natural and purified rations. II., 41.
— (purified soybean), lactation failure of rats fed diets containing, 231; effect of various supplements on lactation failure of rats fed diets containing, 245.
— quality, evaluation in cottonseed meals by chick growth and by a chemical index method, 679.
— Quantitative study of rumen synthesis in bovine on natural and purified rations. I., 29.
— rations (low), influence of various carbohydrates on utilization of, by white rat. I., 261.
— toxic, from the soybean (soyin). I., 527.

RABBIT, effect of coprophagy on excretion of B vitamins by, 639.
Radiocobalt, distribution in tissues and ingesta of sheep, 173.
Rat(s), adult, influence of non-essential amino acids on requirement of, for isoleucine, methionine and threonine, 513.
— albino, relative cariogenicity of sucrose when ingested in solid form and in solution by, 295.
— comparative effects of pantothenic acid deficiency and inanition on resistance to cold stress in, 373.
— effects of basal diets on response of, to certain dietary non-ionic surface-active agents, 563.
— — of dietary aureomycin upon intestinal microflora and intestinal synthesis of vitamin B_{12} in, 135.
— — of prolonged ingestion of xylose on, 347.
— fed amino acid-supplemented rice diets, effect of antibiotics on, 621.
— — diets containing purified soybean proteins, lactation failure of, 231; effect of various supplements on lactation failure of, 245.
— — penicillin, microorganisms in intestines of, 647.
— — purified diets, effects of vitamins B_{12} and B_{12f} on growth, kidney hemorrhage and liver fat in, 495.
— growing female, effects of fat-free diet on, with special reference to endocrine system, 397.
— — male, effects of prolonged percutaneous administration of methyl testosterone and estradiol on, 51.
— growth assay for vitamin B_{12}. Correspondence with collaborative microbiological results on U.S.P. liver extracts, 107.
— — inhibition of. Soyin, a toxic protein from the soybean. I., 527.
— — response to heterologous protein administered intraperitoneally, 163.
— influence of relative humidity upon vitamin deficiencies in, 589.
— storage and elimination of vitamin B_{12} in, 669.
— sulfasuxidine-fed, effect of vitamins and natural products on liver ascorbic acid of, 387.
— utilization of amino acids from foods by. I., 277; II., 289.
— weanling, fed lactose diets, dermatosis in. II., 99.
— white, influence of various carbohydrates on utilization of low protein rations by. I., 261.
Rations (low protein), influence of various carbohydrates on utilization of, by white rat. I., 261.
— natural and purified, quantitative study of rumen synthesis in bovine on. I., 29; II., 41; III., 631.
— (9% casein), comparison of sucrose and cornstarch in. Influence of various carbohydrates on utilization of low protein rations by white rat. I., 261.
Registry of nutritional pathology. American Institute of Nutrition, 369.
Resistance to cold stress in rat, comparative effects of pantothenic acid deficiency and inanition on, 373.
Riboflavin. Quantitative study of rumen synthesis in bovine on natural and purified rations. III., 631.
Rice diets, amino acid-supplemented, effect of antibiotics on rats fed, 621.
RICHARDSON, L. R., L. G. BLAYLOCK AND C. M. LYMAN. Influence of the level of vitamins in the diet on the concentration of free amino acids in the plasma of chicks, 21.
ROTHERY, P., J. M. BELL AND J. W. T. SPINKS. Cobalt and vitamin B_{12} in sheep. I. Distribution of radiocobalt in tissues and ingesta, 173.
Rumen proteins, amino acid content of mixed. Quantitative study of rumen synthesis in bovine on natural and purified rations. II., 41.
— synthesis in bovine on natural and purified rations, quantitative study of. I. Protein, dry matter and non-protein nitrogen, 29; II. Amino acid content of mixed rumen proteins, 41; III. Riboflavin, pantothenic acid and niacin, 631.

SARLES, W. B. See Guzman-Garcia, J., 647.
SCHREIBER, M. See Collins, R. A., 485, 589; Niño-Herrera, H., 99.
SCHROEDER, L. J., M. IACOBELLIS AND A. H. SMITH. Heat processing and the nutritive value of milk and milk products, 549.
SCHULTZE, M. O. Nutritional value of plant materials. VIII. Lactation failure of rats fed diets containing purified soybean proteins, 231; IX. The effect of various supplements on lactation failure of rats fed diets containing purified soybean proteins, 245.
SCHWARTZ, M. A., AND J. N. WILLIAMS, JR. Effect of vitamins and natural products on liver ascorbic acid of sulfasuxidine-fed rats, 387.
SCHWEIGERT, B. S., AND B. T. GUTHNECK. Utilization of amino acids from foods by the rat. I. Methods of testing for lysine, 277.
— See Guthneck, B. T., 289.
SCOTT, H. M. See Hansen, R. G., 453.
Scurvy and experimental megaloblastic anemia in monkey. V., 121.
Segregation of toxic and non-toxic material from esters of heat-polymerized linseed oil by distillation and by urea adduct formation. Nature of damage to nutritive value of some vegetable oils from heat treatment. III., 333.
SEWELL, R. F., J. K. LOOSLI, L. A. MAYNARD, H. H. WILLIAMS AND B. E. SHEFFY. The quantitative threonine requirement of the suckling pig, 435.

SHAW, C. R. See Martin, A. P., 163.
SHAW, J. H. See Haldi, J., 295.
Sheep, cobalt and vitamin B_{12} in. I., 173.
SHEFFY, B. E. See Sewell, R. F., 435.
SHERWOOD, F. W., AND V. B. WELDON. Comparison of 4 feeding methods for assessing the relative growth-promoting properties of proteins, 153.
SMITH, A. H. See Schroeder, L. J., 549.
SOGNNAES, R. F. See Haldi, J., 295.
Solid form, relative cariogenicity of sucrose when ingested in, and in solution, by albino rat, 295.
Solution, relative cariogenicity of sucrose when ingested in, and in solid form, by albino rat, 295.
Soybean, a toxic protein from (soyin). I., 527.
— oil meal, effect of heat treatment on nutritive value and hemagglutinating activity of, 609.
— proteins, purified, lactation failure of rats fed diets containing, 231; effect of various supplements on lactation failure of rats fed diets containing, 245.
Soyin, a toxic protein from the soybean. I. Inhibition of rat growth, 527.
SPINKS, J. W. T. See Rothery, P., 173.
SPRUTH, H. C. See Frost, D. V., 107.
Stability of thiamine in typical laboratory diet, factors affecting, 209.
STARE, F. J. See Miller, O. N., 65.
STEWART, C. T. See May, C. D., 121.
Stimulation, growth (see Growth stimulation).
Storage of vitamin B_{12} in rat, 669.
Stress, cold, in rat, comparative effects of pantothenic acid deficiency and inanition on resistance to, 373.
STRUGLIA, L. See Kulwich, R., 639.
Suckling mice (see Mice, suckling).
— pig (see Pig, suckling).
Sucrose and cornstarch, comparison in 9% casein rations. Influence of various carbohydrates on utilization of low protein rations by white rat. I., 261.
— relative cariogenicity of, when ingested in solid form and in solution by albino rat, 295.
Sulfasuxidine-fed rats, effect of vitamins and natural products on liver ascorbic acid of, 387.
Surface-active non-ionic dietary agents, effects of basal diets on response of rats to certain, 563.
System, endocrine (see Endocrine system).

TESTOSTERONE (methyl) and estradiol, effects of prolonged percutaneous administration of, on growing male rats, 51.
Thiamine, factors affecting stability of, in typical laboratory diet, 209.
Threonine, influence of non-essential amino acids on requirement of adult rat for, 513.
— requirement, quantitative, of suckling pig, 435.
Thyroid activity, dietary fat and lipogenesis, interrelationship between, 599.
TIDWELL, W. L. See Elam, J. F., 307.
Tissues of sheep, distribution of radiocobalt in, 173.
TORNABEN, J. A. See Light, A. E., 51.
Toxic and non-toxic material, segregation from esters of heat-polymerized linseed oil by distillation and by urea adduct formation. Nature of damage to nutritive value of some vegetable oils from heat treatment. III., 333.
— protein from the soybean (soyin). I., 527.
Typical laboratory diet, factors affecting stability of thiamine in, 209.

UDALL, R. H., AND C. M. MCCAY. The feed value of fresh bone, 197.
Urea adduct formation, segregation of toxic and non-toxic material from esters of heat-polymerized linseed oil by distillation and by. Nature of damage to nutritive value of some vegetable oils from heat treatment. III., 333.
U.S.P. liver extracts, correspondence of rat growth assay for vitamin B_{12} with collaborative microbiological assay results on, 107.

VEGETABLE oils, nature of damage to nutritive value of some, from heat treatment. III., 333.
Vitamin(s) A requirement of mouse, 357.
— and natural products, effect on liver ascorbic acid of sulfasuxidine-fed rats, 387.
— B, effect of coprophagy on excretion of, by rabbit, 639.
— B_{12} and B_{12f}, effects on growth, kidney hemorrhage and liver fat in rats fed purified diets, 495.
— — and biotin, fecal, effect of antibiotics and the composition of diets on, 657.
— — and cobalt in sheep. I., 173.
— — and folic acid in milk diets, 485.
— — effects of dietary aureomycin upon intestinal microflora and intestinal synthesis of, in rat, 135.
— — rat growth assay for. Correspondence with collaborative microbiological assay results on U.S.P. liver extracts, 107.
— — requirement of mink, 541.
— — storage and elimination in rat, 669.
— deficiencies in rats, influence of relative humidity upon, 589.
— in diet, influence of level of, on concentration of free amino acids in plasma of chicks, 21.
von Bunge, Gustav B., biography, 3.

WAINIO, W. W., B. EICHEL, H. J. EICHEL, P. PERSON, F. L. ESTES AND J. B. ALLISON. Oxidative enzymes of the liver in protein depletion, 465.
Water and nitrogen metabolism (see Metabolism).
Weanling rats (see Rats, weanling).
WEIR, D. R. Leukocyte production in pantothenic acid-deficient mice, 425.
WELDON, V. B. See Sherwood, F. W., 153.
WELLS, A. F. See Crampton, E. W., 333.
White rat (see Rat, white).
WILLIAMS, H. H. See Martin, A. P., 163; Sewell, R. F., 435.
WILLIAMS, J. N., JR. See Litwack, G., 579; Schwartz, M. A., 387.
WILSON, R. H. See Booth, A. N., 347.
WOMACK, M., H. A. HARLIN AND P.-H. LIN. The influence of the non-essential amino acids on the requirement of the adult rat for isoleucine, methionine and threonine, 513.
WYNN, W. See Haldi, J., 295.

XANTHINE oxidase (liver) relation to quality of dietary protein, 579.
Xylose, effects on rats of prolonged ingestion of, 347.

YOUNG calf (see Calf, young).

ZINC deficiency in suckling mice deprived of colostrum, 79.